
# SMake it shows a second state of the second st

Premium Power Tool Accessories Proudly Made in the USA







Premium Power Tool Accessories Proudly Made in the USA

#### **About Us**

Founded in a basement machine shop in Minnesota in 1962, we are a family-owned company, currently operating in Texas. We manufacture premium drilling accessories for use in power drills, impact drivers and drill presses.

The 1/4" hex power bit shank found on most of our tools has become an industry standard, being accepted in quick change chucks and impact drivers everywhere. Our namesake is the "snap" that's heard when a drill bit, driver bit or other tool is pushed into our patented quick change chuck. By utilizing the quick change system, craftsmen and hobbyists can transition from pre-drilling to driving quickly and easily.

As a 3rd generation family business, we take great pride in each product we provide. By using superior materials, cutting-edge machinery and patented technology, we deliver industrial quality tools at an affordable price, "Proudly

Made in the USA".

### Deluxe Tool Books

Look for highlighted Part Numbers indicating featured products and best sellers!





Quick Change Chucks
 Combination Countersinks

• Drill Bit Adapters • Flat Bottom Counterbores • Shelf-Pin Drill Guides •

• Tapered Plug Cutters • Tapered Drill Countersinks •

• Ironman Drill Bit Adapters • Self-Centering Hinge Bits • And More •




| Category  | Page # |
|---|--------|
| Deluxe Tool Books                               | 3-4    |
| Ironman Drill Bit Adapters                      | 5-6    |
| Gold Screw Countersinks                         | 7-8    |
| SD-3 Flat-Bottom<br>Counterbores                | 9      |
| Tapered Plug Cutters                            | 10     |
| Tapered Drill Countersinks                      | 11     |
| Tungsten Carbide<br>Tipped Countersinks         | 12     |
| Quick Change Chucks                             | 13     |
| Drill Bit Adapters                              | 14     |
| Festool Centrotec<br>Compatible Accessories     | 15-16  |
| Self-Centering Bits<br>& Shelf Pin Drill Guides | 17     |
| Combination Sets<br>& Pouches                   | 18     |
|   |        |









\*Page 15\*

Premium
Rotating Depth
Stop

\*Page 8\*



## Deluxe Tool Books

Part # 48030 Maker's Edition



Padded pocket with velcro closure for small parts and spares

Heavy duty zipper with cord pulls

Thick divider protects cutting edges during transport

Rugged molded inserts securely hold up to (30) 1/4" hex shank tools in place






| oks               | Part # | Description   | List<br>Price |
|-------------------|--------|---|---------------|
|                   | 48019  | Deluxe Tool Book - Starter Kit ~Includes: 1- Deluxe Tool Book, 5- Drill Bit Adapters (1/8", 5/32", 3/16", 7/32", 1/4"), 1- Hex Shank Socket, 5- Gold Screw Countersinks (5/64", 3/32", 7/64", 1/8", 9/64"), 2- Depth Stops (3/8" & 1/2") (with 1/8" & 3/32" Hex Keys), 5- 2" Driver Bits (#2sq, #3sq, T25, #2ph, #3ph), 1- Quick Change Chuck~  | \$104.99      |
| Deluxe Tool Books | 48024  | Deluxe Tool Book - Builder's Kit  ~Includes: 1- Deluxe Tool Book, 5- Drill Bit Adapters (1/8", 5/32", 3/16", 7/32", 1/4"), 1- Hex Shank Socket, 5- Gold Screw Countersinks (5/64", 3/32", 7/64", 1/8", 9/64"), 2- Flat Bottom Counterbores (1/8" x 1/2" & 3/16" x 1/2"), 2- Depth Stops (3/8" & 1/2") (with 1/8" & 3/32" Hex Keys), 5- 2" Driver Bits (#289, #380, T25, #2PH, #3PH), 2- Self-Centering Hinge Bits (7/64" & 9/64"), 1- Quick Change Chuck~                               | \$157.99      |
| De                | 48030* | Deluxe Tool Book - Maker's Edition  ~Includes: 1- Deluxe Tool Book, 5- Drill Bit Adapters (1/8", 5/32", 3/16", 7/32", 1/4"), 1- Hex Shank Socket, 5- Gold Screw Countersinks (5/64", 3/32", 7/64", 1/8", 9/64"), 3- Flat Bottom Counterbores (1/8" x 3/8", 1/8" x 1/2", 3/16" x 1/2"), 1- Rotating Depth Stop (with 1/8" & 5/32" Hex Keys), 5- 2" Driver Bits (#2sq, #3sq, T25, #2pH, #3pH), 5- Self-Centering Hinge Bits (5/64", 7/64", 9/64", 11/64", 13/64"), 1- Quick Change Chuck~ | \$259.99      |
|                   | 18030  | Empty Deluxe Tool Book  | \$29.99       |
|                   | *Shown |   |               |

\*Shown

Part # 18030



| Adapters | Part #  | Description   | List<br>Price |  |  |
|----------|---|---|---------------|--|--|
| apt      | 42206   | 3/32" Ironman Drill Adapter with HD Twist Drill   | \$10.99       |  |  |
| Ndå      | 42208 1/8" Ironman Drill Adapter with HD Twist Drill  |   |               |  |  |
| <b>:</b> | 42210 5/32" Ironman Drill Adapter with HD Twist Drill |   |               |  |  |
| 18       |   |   |               |  |  |
| ril      | 42214 7/32" Ironman Drill Adapter with HD Twist Drill |   |               |  |  |
| 1 D      | 42216 1/4" Ironman Drill Adapter with HD Twist Drill  |   |               |  |  |
| ronman   | 42220   | 5/16" Ironman Drill Adapter with HD Twist Drill †   | \$13.59       |  |  |
| uu       | 42224   | 3/8" Ironman Drill Adapter with HD Twist Drill †  | \$15.79       |  |  |
| Iro      | 40022   | <b>5 Piece Ironman Drill Adapter Set</b> ~Includes: 42208, 42210, 42212, 42214, 42216 + 1/8" Hex Key~ | \$47.29       |  |  |

† Uses 1/4" Adapter and reduced shank drill





| 0 |  |
|---|--|
|   |  |
| 0 |  |
|   |  |

| Part | # | 42216 |  |
|------|---|-------|--|
|------|---|-------|--|

| Drill              | Part # | Description   | List<br>Price |
|--------------------|--------|---|---------------|
|                    | 42906  | Replacement twist drill for 3/32" Ironman Drill Adapter   | \$6.49        |
| nan<br>'S          | 42908  | Replacement twist drill for 1/8" Ironman Drill Adapter    | \$6.49        |
| Ironman<br>lapters | 42910  | Replacement twist drill for 5/32" Ironman Drill Adapter   | \$6.49        |
|                    | 42912  | Replacement twist drill for 3/16" Ironman Drill Adapter   | \$7.49        |
| for                | 42914  | Replacement twist drill for 7/32" Ironman Drill Adapter   | \$7.49        |
| Drills f           | 42916  | Replacement twist drill for 1/4" Ironman Drill Adapter    | \$8.59        |
|                    | 42920  | Replacement twist drill for 5/16" Ironman Drill Adapter † | \$9.59        |
| Ι                  | 42924  | Replacement twist drill for 3/8" Ironman Drill Adapter †  | \$10.99       |
|                    |        | 4.1/40 D. 1. 1.1.1  |               |

† 1/4" Reduced shank

#### Gold Screw Countersinks

- •Drill the pilot hole and countersink or counterbore for screws in one easy step. Countersink to drive the head of the screw flush with or slightly below the surface
- •The 82° countersink angle matches the angle on the head of most wood screws. Easily control depth using an optional stop collar
- •Made of thru-hardened steel for long cutting life
- •Our signature gold set screw will securely hold the twist drill. Easily adjust the pilot depth or replace a dull bit by simply loosening the large, hardened set screw

Drill Size



Counterbore Recommended Screw Size



•Designed• •Machined• •Assembled• in the USA

|                         | ran #          | (D1)   | Size (D2)         | Hardwood (Softwood)                                  | Price   |
|-------------------------|----------------|--|-------------------|--|---------|
|                         | 43005          | 5/64"  | 3/8"              | #4   | \$8.99  |
|                         | 43006          | 3/32"  | 3/8"              | (#6)   | \$8.99  |
|                         | 43007          | 7/64"  | 3/8"              | #6 (#8)  | \$8.99  |
|                         | 43008          | 1/8"   | 3/8"              | #8 (#10)   | \$8.99  |
|                         | 43009          | 9/64"  | 1/2"              | #10 (#12)  | \$8.99  |
|                         | 43257          | 7/64"  | 1/4"              | #7 Trim Screw  | \$8.99  |
| 4                       | 43258          | 1/8"   | 1/4"              | #8 Trim Screw  | \$8.99  |
|                         | 43018          | 1/8"   | 1/2"              | #8 (#10)   | \$8.99  |
| Gold Screw Countersinks | 43019          | 9/64"  | 3/8"              | #10(#12)/Clearance hole for #6<br>Machine Screw      | \$8.99  |
|                         | 43310          | 5/32"  | 3/8"              | #8 Machine Screw/Clearance hole<br>for #7-#8 Screw   | \$10.49 |
|                         | 43010          | 5/32"  | 1/2"              | Clearance hole for #7-#8 Screw                       | \$10.49 |
|                         | 43311          | 11/64"   | 3/8"              | Clearance hole for #9 Screw                          | \$10.49 |
| W                       | 43011          | 11/64"   | 1/2"              | Clearance hole for #9 Screw                          | \$10.49 |
| Scre                    | 43312          | 3/16"  | 3/8"              | #10 Machine Screw/Clearance hole<br>for #9-#10 Screw | \$10.49 |
| p                       | 43012          | 3/16"  | 1/2"              | Clearance hole for #9-#10 Screw                      | \$10.49 |
| <u> </u>                | 43124          |  | 3/8" Counte       | ersink Stop Collar                                   | \$3.99  |
|                         | 43132          |  | 1/2" Counte       | ersink Stop Collar                                   | \$3.99  |
|                         | 43032          | Premium Ro   | tating Depth Stop | (Fits all Gold Screw Countersinks)                   | \$25.99 |
|                         | 40030          | <b>5 Piece Countersink Set</b> ~Includes: 43005, 43006, 43007, 43008, 43009 + 1/8" Hex Key~          |                   |  |         |
| M                       | 40333<br>40033 | <b>2 Piece Countersink &amp; 3/8" Plug Cutter Set</b> ~Includes: 43007, 43008, 40324 + 1/8" Hex Key~ |                   |  | \$24.99 |
| M                       | 40033          | <b>3 Piece Countersink Set</b> ~Includes: 43007, 43008, 43009 + 1/8" Hex Key~                        |                   |  | \$20.99 |
|                         | 43400          | Quick Change Chuck & 2 Diego Countercink Set   |                   |  | \$32.99 |





#### Consistently countersink or counterbore with the **Premium Rotating Depth Stop**

Part # 43032



Unique mounting channel allows the depth stop to be used with all 3/8" and 1/2" **Snappy**<sup>TM</sup> countersinks

Large radiused cavity reduces chip packing



Precision chrome ball **bearings** allow the ring to rotate freely when the desired depth is reached

Free rotating ring prevents damage to the workpiece



securely mounts the stop to the countersink to ensure consistent depth

Part # 43516



**HSS Replacement** 

|      | Part # | Drill Size<br>(D1) | Qty./<br>Pack | Replacement For   | List<br>Price |
|------|--------|--------------------|---------------|-------------------|---------------|
| S.   | 49205  | 5/64"              | 2 Pcs.        | 43005             | \$4.19        |
|      | 49206  | 3/32"              | 2 Pcs.        | 43006             | \$4.39        |
|      | 49207  | 7/64"              | 2 Pcs.        | 43007/43257       | \$4.59        |
| wist | 49208  | 1/8"               | 2 Pcs.        | 43008/43018/43258 | \$4.69        |
|      | 49209  | 9/64"              | 2 Pcs.        | 43009/43019       | \$4.79        |
|      | 49540  | 3.5mm              | 1 Pc.         | 43540             | \$7.39        |
|      | 49005  | 5mm                | 1Pc.          | 43750             | \$10.49       |

| 70                    | Part # | Drill Size<br>(D1) | Counterbore<br>Size (D2) | Recommended Screw Size                              | List<br>Price |
|-----------------------|--------|--------------------|--------------------------|---|---------------|
| Special<br>untersinks | 43516  | 1/4"               | 5/8"                     | Clearance hole for 1/4" Flat Head<br>Machine Screw  | \$11.99       |
|                       | 43520  | 5/16"              | 5/8"                     | Clearance hole for 5/16" Flat Head<br>Machine Screw | \$11.99       |
| Sono                  | 43540  | 3.5mm              | 5mm+7mm                  | 5x40 Confirmat Screws                               | \$18.89       |
|                       | 43750  | 5mm                | 7mm+10mm                 | 7x50 Confirmat Screws                               | \$20.99       |
|                       | 48240  |                    | 5/8" x 82° Too           | l Steel Countersink                                 | \$11.49       |

#### SD-3 Flat Bottom Counterbores

- •Drill a pilot hole or clearance hole and counterbore a flat bottomed hole in one step
- •Great for lag screws, lag bolts, washer head screws, T-nuts & more
- •TiN (Titanium Nitride) coated twist drill offers superior wear resistance
- •Made of thru-hardened alloy steel for long cutting life
- •Precision machined with integrated 1/4" hex shank

•The unique geometry of the cutters provide excellent chip clearance and cutting performance, even in hardwoods



|                | Part # | Drill Size<br>(D1) | Counterbore<br>Size (D2) | Recommended Pilot (Clearance)<br>Hole For      | List<br>Price |
|----------------|--------|--------------------|--------------------------|--|---------------|
|                | 32408  | 1/8"               | 3/8"                     | (#6/#7 Pocket Hole Screw)                      | \$15.49       |
| <b>v</b> 2     | 32809  | 9/64"              | 7/16"                    | #10 Production Screw (#7/#8 Pocket Hole Screw) | \$15.49       |
| ore            | 33208  | 1/8"               | 1/2"                     | #9/#10 Pan Head Wood Screw [hardwood]          | \$15.49       |
| Counterbores   | 33212  | 3/16"              | 1/2"                     | #14 Production Screw (#10 Pan Head Wood Screw) | \$16.49       |
| ıte]           | 33216  | 1/4"               | 1/2"                     | 1/4" Pan Head Machine Screw                    | \$17.49       |
| M              | 34012  | 3/16"              | 5/8"                     | (6-32 T-Nut)                                   | \$25.99       |
| Flat Bottom Co | 34016  | 1/4"               | 5/8"                     | (1/4" Lag Bolt)                                | \$26.99       |
|                | 34020  | 5/16"              | 5/8"                     | (5/16"-18 Lag Bolt -No Washer)                 | \$27.99       |
| otto           | 34812  | 3/16"              | 3/4"                     | 1/4" Lag Screw (10-32 Machine Screw)           | \$30.99       |
| Bc             | 34816  | 1/4"               | 3/4"                     | 5/16" Lag Screw (1/4" Lag Bolt)(10-32 T-Nut)   | \$31.99       |
| lat            | 34820  | 5/16"              | 3/4"                     | (5/16" Lag Bolt-No Washer)(1/4"-20 T-Nut)      | \$32.99       |
| <b>1</b>       | 34824  | 3/8"               | 3/4"                     | (3/8"-16 Lag Bolt-No Washer)                   | \$33.99       |
| SD-3           | 36416  | 1/4"               | 1"                       | 5/16" Lag Screw-With Washer                    | \$35.99       |
| S              | 36420  | 5/16"              | 1"                       | (5/16" Lag Bolt-With Washer)                   | \$35.99       |
|                | 36424  | 3/8"               | 1"                       | (3/8" Lag Bolt-With Washer)(5/16"-18 T-Nut)    | \$35.99       |
|                | 36428  | 7/16"              | 1"                       | 1/2" Lag Screw                                 | \$35.99       |
|                | 36432  | 1/2"               | 1"                       | (1/2" Lag Bolt)(3/8"-16 T-Nut)                 | \$35.99       |



- •Use **Snappy**<sup>TM</sup> tapered plug cutters to cut your own plugs to conceal screws and other fasteners. Use scraps to match wood grain, making the plug nearly invisible or, for a decorative look, use a contrasting wood
- •Snappy<sup>TM</sup> plug cutters produce a tapered plug, so you get a tight fit with no glue needed. The chamfered nose makes it easy to get the plug started into the bore
- •Updated design featuring radial relief on the inside diameter of the cutter for reduced drag and impoved performance. Precision-milled cutting edges and outer reliefs ensure a smooth, clean cut for a consistent, tight-fitting plug
- •Thru Hardened to provide excellent wear resistance and a long cutting life

•Always cut to the full depth of the cutter until a radius or chamfer can be seen, clearing chips as needed



can be broken out with a screwdriver or can be sawed to free the plug

40340

40348

40364

43300







3 Pc. Set Part # 43300

•Insert chamfered end first and drive the plug into bore. Trim excess flush with surface using a chisel

or flush cutting saw and finish sand

Ø

|             | Part # | Plug Size Ø | Recommended<br>Maximum RPM | List<br>Price |
|-------------|--------|-------------|----------------------------|---------------|
|             | 40316  | 1/4"        | 1000                       | \$11.99       |
| utters      | 40320  | 5/16"       | 1000                       | \$12.49       |
| utt         | 40324  | 3/8"        | 1000                       | \$13.49       |
| C           | 40328  | 7/16"       | 1000                       | \$14.49       |
| ng          | 40332  | 1/2"        | 800                        | \$15.49       |
| TOTAL PARTY | 40336  | 9/16"       | 750                        | \$16.99       |
|             |        |             |                            |               |

5/8"

3/4"

1"



•For use in drill press only, with board clamped to table



\$18.49

\$25.99

\$31.99

\$34.99

3 Piece Tapered Plug Cutter Set

~Includes: 40316, 40324, 40332~

700

600

500

#### **Tapered Drill Countersinks**

- •Drill a pilot hole and countersink or counterbore for tapered wood screws in one step
- •Use for tapered screws or as a clearance hole for straight screws
- •Made of thru-hardened alloy steel for long cutting life
- •Precision machined to work with **Snappy**<sup>TM</sup> quick change chucks or any tool designed to accept a 1/4" hex shank
- •Two large hardened set screws securely hold the countersink to the tapered drill to prevent slippage





Part # 44300

- •Countersink to keep screw heads flush with or slightly below the surface
- •Counterbore to drive screw below the surface and plug the hole


| Tapered Drill<br>Countersinks | Part # | Drill<br>Size (Ø)   | Counterbore<br>Size (Ø) | For Tapered<br>Screw Size | List<br>Price |
|-------------------------------|--------|---|-------------------------|---------------------------|---------------|
|                               | 44006  | 9/64"   | 3/8"                    | #6                        | \$14.69       |
|                               | 44008  | 11/64"  | 3/8"                    | #8                        | \$15.29       |
|                               | 44010  | 13/64"  | 3/8"                    | #10                       | \$15.79       |
|                               | 44036  | 9/16" ID Premium Rotating Depth Stop<br>(For Tapered Drill Countersinks Only)               |                         |                           |               |
|                               | 44300  | <b>3 Piece Tapered Drill Countersink Set</b> ~Includes: 44006, 44008, 44010 + 1/8" Hex Key~ |                         |                           | \$38.49       |

Part # 44036

\*Twist Drill/Countersink not included

| ment<br>pered<br>S  | Part # | Drill<br>Size (Ø) | Replacement Twist<br>Drill for Part # | List<br>Price |
|---------------------|--------|-------------------|---------------------------------------|---------------|
| Iap<br>Fill         | 49406  | 9/64"             | 44006                                 | \$5.29        |
| Repla<br>HSS 7<br>D | 49408  | 11/64"            | 44008                                 | \$5.79        |
|                     | 49410  | 13/64"            | 44010                                 | \$6.29        |









- •The TCT (Tungsten Carbide Tipped) cutters provide superior wear resistance and cut a clean countersink or counterbore even in tough materials
- •Special twist drills feature a TiN (Titanium Nitride) coating for long life
- •Features an 82° countersink angle, the same angle as on the head of most wood screws
- •Countersink to keep screw heads flush with or slightly below the surface
- •Counterbore to drive screw below the surface and plug the hole





3 Pc. Set Part # 46033



| n<br>ped<br>nks | Part # | Drill Size<br>(D1)   | Counterbore<br>Size (D2) | Recommended Screw Size<br>Hardwood (Softwood) | List<br>Price |
|-----------------|--------|--|--------------------------|---|---------------|
| rip<br>Fip      | 46337  | 7/64"  | 3/8"                     | #6 (#8)                                       | \$22.99       |
| ngs<br>le [     | 46338  | 1/8"   | 3/8"                     | #8 (#10)                                      | \$22.99       |
| l'un<br>bic     | 46309  | 9/64"  | 1/2"                     | #10 (#12)                                     | \$22.99       |
| Car             | 46033  | 3 Piece Tungsten Carbide Tipped Countersink Set ~Includes: 46337, 46338, 46309 + 1/8" Hex Key~ |                          |   | \$57.99       |

\*Made in Israel\*

| nent<br>toated<br>rills | Part # | Drill<br>Size (Ø) | Replacement Twist<br>Drill for Part # | List<br>Price |
|-------------------------|--------|-------------------|---------------------------------------|---------------|
| N C                     | 49607  | 7/64"             | 46337                                 | \$7.29        |
| Repla<br>HSS Ti<br>Twis | 49608  | 1/8"              | 46338                                 | \$7.29        |
|                         | 49609  | 9/64"             | 46339                                 | \$7.29        |

12

#### **Quick Change Chucks**

- •Our patented Snappy<sup>TM</sup> quick change chuck allows fast changes between drilling & driving
- •Accepts all tools with a 1/4" hex power bit shank
- •Durable all steel construction, heat-treated for excellent wear resistance and strength
- •Simply pushing the bit in will lock it firmly into the drive channel with a hardened chrome ball bearing
- •Quickly remove the bit by pulling back the knurled sleeve



Part #

40011

Description

Snappy<sup>TM</sup> Industrial Quick Change Chuck

List

\$15.79



•Snappy<sup>TM</sup> drill bit adapters utilize a collet to adapt standard round drill bits to a 1/4" hex power bit shank to be used in quick change chucks and other tools designed to accept a 1/4"

hex shank, like impact drivers

•Use the 3/8" adapter for pocket hole step drills!

Laser engraved

for easy identification!

Description

Part#

47001

Part # 42024 \*Step Drill/Drill Stop not included\*



Minimum Ø



•Use the Bench Mount Shank Wrench to easily replace drill bits

Part # 42881

Maximum Ø

List

Price

\$9.99

\$2.49

\$5.69

\$5.69

\$5.69

\$5.69

\$5.69

\$5.69

\$5.69

\$5.69

\$5.69

\$5.69

\$6.29

\$6.29

\$6.29

\$6.79

\$6.79

\$8.39

\$8.39

\$35.99

\$41.99

#### (Decimal Inch) (Decimal Inch) 42881 Bench Mount 1/4" Hex Shank Wrench 42001 1/4" x 1/2" Hex Shank Socket 42002\* 1/32" Drill Bit Adapter .025" .040" 42004\* 1/16" Drill Bit Adapter .047" .062" 42005\* 5/64" Drill Bit Adapter .065" .080" 42006\* 3/32" Drill Bit Adapter .081" .096" 42007\* 7/64" Drill Bit Adapter .095" .110" **Drill Bit Adapters** 42008\* 1/8" Drill Bit Adapter .114" .129" 42009\* 9/64" Drill Bit Adapter .126" .141" 42010\* .144" .159" 5/32" Drill Bit Adapter .158" 42011\* 11/64" Drill Bit Adapter .173" 42012\* 3/16" Drill Bit Adapter .174" .189" 42013\* 13/64" Drill Bit Adapter .189" .204" 42014\* 7/32" Drill Bit Adapter .205" .220" 42015\* 15/64" Drill Bit Adapter .223" .238" 42016\* 1/4" Drill Bit Adapter .237" .252" 42018\* 9/32" Drill Bit Adapter .268" .283" 42020\* 5/16" Drill Bit Adapter .287" .302" 42024\* 3/8" Drill Bit Adapter .362" .377" 7 Piece Drill Bit Adapter Set 40020

~Includes: 42004, 42006, 42008, 42010, 42012, 42014, 42016 + 42001~ 7 Piece Drill Bit Adapter Set in Belt Clip Pouch


~Includes: 42006, 42008, 42010, 42012, 42014, 42016, 42024 + 42001~

<sup>\*</sup>Twist drill not included when purchased individually

#### Festool Centrotec Compatible Accessories

Centrotec 1/4" Chuck





•Combines the shank from the Festool Centrotec system, designed for reduced runout, with the proven performance of **Make it Snappy® Tools'** patented quick change chuck

| ick<br>nge<br>cks | Part # | Description   | List<br>Price |
|-------------------|--------|---|---------------|
| Qui<br>Cha<br>Chu | 90011  | Festool Centrotec to 1/4" Hex<br>Quick Change Chuck | \$24.99       |



3/16' Drill Bit Adapter Part # 92012

#2 so ×3" Driver Bit Part #95312

O THERE

9/64" x 1/2" Countersink Part # 93009



9/64" Self-Centering Bit Part #95109

#2 sq x 6" Driver Bit Part # 95612

- •Designed•
- •Machined•
- •Assembled• in the USA



#### Festool Centrotec Compatible Accessories

•Combines the shank from the Festool Centrotec system, designed for reduced runout, with the proven performance of **Make it Snappy**® **Tools** 

| -           | Part # | Drill<br>Size (Ø) | Counterbore<br>Size (Ø)   | Recommended Screw Size<br>Hardwood (Softwood) | List<br>Price |  |
|-------------|--------|-------------------|---|---|---------------|--|
| ountersinks | 93006  | 3/32"             | 3/8"  | (#6)  | \$10.99       |  |
| Si          | 93007  | 7/64"             | 3/8"  | #6 (#8)                                       | \$10.99       |  |
| te          | 93008  | 1/8"              | 3/8"  | #8 (#10)                                      | \$10.99       |  |
|             | 93009  | 9/64"             | 1/2"  | #10 (#12)                                     | \$10.99       |  |
| <b>ರ</b>    | 93258  | 1/8"              | 1/4"  | #8 Trim Screw                                 | \$10.99       |  |
|             | 93052  | ~Includ           | <b>4 Piece Countersink Set</b> ~Includes: 93006, 93007, 93008, 93009, 95312 + 1/8" Hex Key~ |   |               |  |

| ıg            | Part # | Description  | List<br>Price |
|---------------|--------|--|---------------|
| terir<br>Bits | 95105  | 5/64" Self-Centering Hinge Bit with Centrotec Shank  | \$15.49       |
|               | 95107  | 7/64" Self-Centering Hinge Bit with Centrotec Shank  | \$15.49       |
| Cen<br>nge    | 95108  | 1/8" Self-Centering Hinge Bit with Centrotec Shank   | \$15.49       |
|               | 95109  | 9/64" Self-Centering Hinge Bit with Centrotec Shank  | \$15.49       |
| Seli          | 95300  | <b>3 Piece Self-Centering Hinge Bit Set</b> ~Includes: 95105, 95107, 95109 + 1/8" Hex Key~ | \$40.99       |

1/8" × 1/4" Trim-Screw Countersink Part # 93258

|      |        |  |               | 100      |
|------|--------|--|---------------|----------|
| Bits | Part # | Description  | List<br>Price |          |
| er   | 95311  | *1x3"sq Driver Bit with Centrotec Shank & Hardened Tip | \$6.19        | •Use wit |
| Ţ.   | 95312  | *2x3"sq Driver Bit with Centrotec Shank & Hardened Tip | \$6.19        | Trim-He  |
| Ā    | 95612  | #2x6"sq Driver Bit with Centrotec Shank & Hardened Tip | \$7.19        | Part i   |

•Use with the \*1 sq Driver Bit for Trim-Head Screws Part # 95311

|      | Part # | Description   | List<br>Price |
|------|--------|---|---------------|
| Sets | 92352  | <b>Handy Man's Set in Belt Clip Pouch</b> ~Includes: 93007, 93009, 92008, 92012, 92016, 95107, 95312, 42001 + 1/8" Hex Key~ | \$59.99       |
|      | 93572  | <b>Cabinet Maker's Set</b> ~Includes: 93006, 93007, 93008, 93009, 95107, 95109, 95312 + 1/8" Hex Key~                       | \$59.99       |

|              | Part # | Description   | Minimum Ø (Decimal Inch) | Maximum Ø (Decimal Inch) | List<br>Price |  |  |
|--------------|--------|---|--------------------------|--------------------------|---------------|--|--|
| ers          | 92881  | Bench Mount Shank Wrench for Centrotec Drill Bit Adapters   |                          |                          |               |  |  |
| Bit Adapters | 92008* | 1/8" Drill Bit Adapter with Centrotec Shank   | .111"                    | .126"                    | \$6.99        |  |  |
| da           | 92010* | 5/32" Drill Bit Adapter with Centrotec Shank  | .144"                    | .159"                    | \$6.99        |  |  |
| t A          | 92012* | 3/16" Drill Bit Adapter with Centrotec Shank  | .174"                    | .189"                    | \$6.99        |  |  |
| Bi           | 92014* | 7/32" Drill Bit Adapter with Centrotec Shank  | .205"                    | .220"                    | \$7.99        |  |  |
| II.          | 92016* | 1/4" Drill Bit Adapter with Centrotec Shank   | .237"                    | .252"                    | \$8.49        |  |  |
| Ā            | 92024* | 3/8" Drill Bit Adapter with Centrotec Shank   | .362"                    | .377"                    | \$10.49       |  |  |
|              | 92050  | <b>5 Piece Drill Bit Adapter Set in Belt Clip Pouch</b> ~Includes: 92008, 92010, 92012, 92014, 92016 + 42001~ |                          |                          |               |  |  |

<sup>\*</sup>Twist drill not included when purchased individually

#### Self-Centering Hinge Bits & Shelf Pin Drill Guides

- •Use self-centering hinge bits to accurately drill pilot holes in hinges, handles, drawer slides and other hardware
- •Ensures screws will be straight and flush for proper mounting of hardware
- •Use **Snappy**<sup>TM</sup> shelf pin drill guides to drill holes for shelf pins
- •The knurled barrel easily unscrews to clean out chips that may get into the tool's body
- •Precision machined to work with **Snappy**<sup>TM</sup> quick change chucks or any tool designed to accept a 1/4" hex shank





| <ul><li>The hardened</li></ul> |   |
|--------------------------------|---|
| nose bushing                   |   |
| centers itself in              |   |
| hardware for a                 |   |
| perfectly centered             | d |
| pilot hole                     |   |

|                               | Part # | Drill<br>Size (Ø) | Recommended Screw Size<br>Hardwood (Softwood)  | List<br>Price |
|-------------------------------|--------|-------------------|--|---------------|
| <b>3</b>                      | 45105  | 5/64"             | #2 (#4)  | \$11.59       |
| Bits<br>des                   | 45107  | 7/64"             | #6 (#8)  | \$11.59       |
| Beild                         | 45108  | 1/8" 📡            | #8 (#10)   | \$12.59       |
| linge<br>Il Gui               | 45109  | 9/64"             | #8 (#10)   | \$12.59       |
| EE                            | 45111  | 11/64"            | #12  | \$20.99       |
|                               | 45113  | 13/64"            | #14  | \$20.99       |
| ii ii                         | 45005  | 5mm               | 5mm Euro Screws  | \$25.99       |
| ente<br>If P                  | 46005  | 5mm               | 5mm Shelf Pins   | \$25.99       |
| Ce                            | 46016  | 1/4"              | 1/4" Shelf Pins  | \$25.99       |
| Self-Centering<br>Shelf Pin D | 45300  |                   | 3 Piece Self-Centering Hinge Bit Set ncludes: 45105, 45107, 45109 + 1/8" Hex Key~                          | \$31.49       |
|                               | 40050  |                   | <b>5 Piece Self-Centering Hinge Bit Set</b> 45105, 45107, 45109, 45111, 45113 + 1/8" Hex Key~              | \$62.99       |
|                               | 45400  |                   | nge Chuck & 3 Piece Self-Centering Hinge Bit Set<br>1105, 45107, 45109, 1/8" Hex Key + Quick Change Chuck~ | \$39.99       |
| 4                             |        | Deill             | Penlacement Twist List   |               |

| Twist              | Part # | Drill<br>Size (Ø) | Replacement Twist<br>Drill for Part # | List<br>Price |
|--------------------|--------|-------------------|---------------------------------------|---------------|
|                    | 49105  | 5/64"             | 45105                                 | \$4.29        |
| ISS                | 49107  | 7/64"             | 45107                                 | \$4.29        |
| t H                | 49108  | 1/8"              | 45108                                 | \$4.39        |
| ent<br>Dri         | 49109  | 9/64"             | 45109                                 | \$4.39        |
| em<br>T            | 49111  | 11/64"            | 45111                                 | \$6.29        |
| Replacement<br>Dri | 49113  | 13/64"            | 45113                                 | \$6.39        |
| epl                | 49005  | 5mm               | 45005/46005                           | \$10.49       |
| ×                  | 49016  | 1/4"              | 46016                                 | \$10.49       |





Canvas Pouches & Combination Sets

•Use the brass grommet to hang the pouch on a pegboard or screw

#### 25 Pc. Premium Set Part # 48025

•Keeps your tools organized and protected





Snappy

Deluxe Countersink Set Part # 48010

| Pouches & Sets | Part # | Description  | List<br>Price |
|----------------|--------|--|---------------|
|                | 43572  | <b>7 Piece Cabinet Maker's Set</b> ~Includes: 4- Gold Screw Countersinks (3/32" x 3/8", 7/64" x 3/8", 1/8" x 3/8", 9/64" x 1/2"), 2- Self-Centering Hinge Bits (7/64" & 9/64"), 1- *2×4" sq Driver Bit + 1- 1/8" Hex Key~  | \$49.99       |
|                | 48010  | Deluxe Countersink Set in Belt Clip Pouch ~Includes: 1- 3/8" Tapered Plug Cutter, 4- Gold Screw Countersinks with 3/8" counterbore (5/64", 3/32", 7/64", 1/8"), 1- Countersink Stop Collar, 2- Hex Keys (1/8" & 3/32"), 2- 2" Driver Bits (*2PH, *2sQ), 1- Quick Change Chuck + 1 Nylon Belt Clip Pouch~   | \$59.99       |
|                | 48025  | 25 Piece Premium Drilling System in Canvas Pouch ~Includes: 7- Drill Bit Adapters (1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4"),1- Hex Socket, 5- Gold Screw Countersinks, (5/64", 3/32", 7/64", 1/8" x 3/8" & 9/64" x 1/2") 2- Countersink Stop Collars (with 1/8" & 3/32" Hex Keys), 6- 2" Driver Bits (#1, #2, #3PH & #1, #2, #3sQ), 1- Quick Change Chuck + 1- Nylon pouch with velcro closure and small parts pocket~ | \$89.99       |
|                | 18010  | Empty Belt Clip Pouch  | \$15.59       |
|                | 18025  | Empty Small Canvas Pouch   | \$15.79       |



1009 North Highway 377 Pilot Point, TX 76258 Phone: 800-334-7472 Fax: 940-686-3836 www.snappytools.com



•Make it Snappy® Tools warrants to distributors and end users of its products that each new product manufactured or supplied by Make it Snappy® Tools shall be free from defects in material and workmanship. The provisions of this warranty will not apply to any Make it Snappy® Tools product that has been subjected to misuse, improper operating conditions or to tools that have been repaired or altered.

•All prices are in US dollars and are subject to change without notice.

## Always wear approved eye protection

#### CALIFORNIA RESIDENTS A WARNING

Many of our products require a California Prop 65 warning, either because when used they produce dust or because their manufacture involves chemicals known to the state of California to cause cancer, birth defects or other reproductive harm. Because we list several items per page, we have posted ample warning throughout this publication with clear and reasonable access to Prop 65 Warnings. For more information on your rights under California Proposition 65 visit www.p65warnings.ca.gov or call 916-445-6900